

CODEN [USA]: IAJPBB ISSN: 2349-7750

INDO AMERICAN JOURNAL OF PHARMACEUTICAL SCIENCES

http://doi.org/10.5281/zenodo.3595835

Available online at: http://www.iajps.com

Research Article

MOTORBIKE ASSOCIATED PATTERN OF INJURIES IN DIFFERENT HOSPITALS

¹Kamran Khan, ²Hamid Salman, ³Hafiz Kaleemullah

¹Sardar Begum Dental College and Hospital Peshawar, ²Lady Reading Hospital Peshawar, ³King Edward Medical University Lahore.

Article Received: October 2019 **Accepted:** November 2019 **Published:** December 2019

Abstract:

Objective: To analyze the incidence of motorbike associated pattern of injuries.

Material and Methods: This study was carried out in accidents and emergency department of different hospitals. Patients between the ages of 6-70 years were included in this study regardless of their gender and patients had all kind of injuries. All the patients who presented in emergency department with road traffic accidents were selected. A pre designed proforma was used to collect the data of the patients.

Results: A total of 130 patients were studied. Patients were between the ages of 6-70 years with the mean age of 32.14 years. There were 75 male (57.69%) and 55 female (42.30%) patients. 76 patients suffered from injuries to lower limbs while upper limb injuries were seen in 54 of the patients.

Conclusion: Incidence of motorbike injuries is much higher in younger males who are bike fanatics. Among all the injuries seen abrasion and fractures of the lower limbs were most common.

Keywords: Motorbike accidents, fractures, Abrasions, Injury pattern.

Corresponding author:

Kamran Khan,

Sardar Begum Dental College and Hospital Peshawar.



Please cite this article in press Kamran Khan et al., Motorbike Associated Pattern Of Injuries In Different Hospitals, Indo Am. J. P. Sci, 2019; 06(12).

INTRODUCTION:

In the urban cities of underdeveloped countries, motorbike is a major mode of transportation. Bike fanatics, low socioeconomic status, type of job forces the individuals to use this mode of transportation. Deficiency of respect for traffic guidelines, escalation of traffic load, enhanced road conditions, rash driving and stunts by bike fanatics and teenagers have increased the incidence of road traffic accidents by a large number [1].

Pattern of injuries associated with bike accidents have been changed because of rash driving and growing passion for stunts while driving by bike fanatics. It is a nagging problem of national concern and has a great impact on economic conditions, health and life of individuals and communities [2].

It is a problem that is neglected in the entire world especially developing nations. Characteristic of injury varies from compound fractures to abrasions and other fatal injuries that threats the life of individual. Apart from increased financial load on the family and government, death rate also increases with the increasing severity of injury. In causing disabilities and death all over the globe, it is one of the leading cause [3].

This study was carried out to reveal the types of injuries suffered in motorbike accidents. This study will help in development of proper trauma units where man power will be used to manage the patient on urgent basis in emergency department.

MATERIAL AND METHODS:

Patients between the ages of 6-70 years were included in this study regardless of their gender and patients had all kind of injuries. All the patients who presented in emergency department with road traffic accidents were selected and following inclusion criteria patients were selected. Injuries were classified according to different regions involved. Complete examination was done on each patient and related investigations were done to find the associated injuries. A pre designed proforma was used to collect the data of the patients. Informed consent was taken from all the patients.

RESULTS:

A total of 130 patients were studied. Patients were between the ages of 6-70 years with the mean age of 32.14 years. There were 75 male (57.69%) and 55 female (42.30%) patients. 76 patients suffered from injuries to lower limbs while upper limb injuries were seen in 54 of the patients. Different patterns of injuries were distributed as abrasions in 78.67%, bruises in

42.3%, lacerations in 52.2%, fractures in lower limbs 12.25% and fractures in upper limbs 9.23%

DISCUSSION:

Accidents are a serious health issue and mostly teenagers are affected. Deficiency of respect for traffic guidelines, escalation of traffic load, enhanced road conditions, rash driving and stunts by bike fanatics and teenagers have increased the incidence of road traffic accidents by a large number. In old age, less number of injuries are seen but when they do occur they are serious in nature. The results of our study are comparable to the studies done recently and in the past. It was shown by Khani GM⁴ and coworkers that accidents mostly occur in young people. Motorbike accidents are commonly seen in young adults as shown by Khan A³. Young children are mostly affected as found by Fouda EY⁵. Enhancing number of motorbike injuries in adolescents are children have been shown by Bevan CA⁶. In Pakistan high incidence is seen in males are they are the ones who drive motorbikes. Accidents are more common in male gender as shown by Mike N and similar results were shown by Sharma BR1. All these results are in accordance with our study showing males are more commonly involved in road traffic accidents. In females, injuries are mostly seen as a result of dupatta (long scarf) getting stuck in rear wheel causing the bike to slip. Injuries around the neck are most common due to dupatta around the neck which is pulled when stuck in bike. In female pillion riders motor bike accidents are more common as shown by Minhas MS². Less number of injuries are seen in females because they are not active riders in Pakistan. Less injuries in females as compared to males is shown by Singh R and co-workers. Lower limbs and pelvis fractures are most common because they are the first parts which touch the ground and are subjected to high amount of force. Enhanced fractures of lower limbs have been shown by Kaim khani GM, Hofling, and Khan A. The reactionary force provided by the hands to stop further injuries results in injuries to hands and upper limbs resulting in large number of injuries that fall 2nd to lower limb injuries. Abrasions, bruises and lacerations occurs because of decreased force suffered due to secondary impact on the ground. Third most common injuries are seen in head and neck areas because helmets are not used by the bikers. Injuries to the soft tissues and other viscera are less in number as shown by the study. Strict traffic regulations play a pivotal role in prevention of these injuries.

CONCLUSION:

Incidence of motorbike injuries is much higher in younger males who are bike fanatics. Among all the

injuries seen abrasion and fractures of the lower limbs were most common.

REFERENCES:

- Sharma BR, Gupta N, Sharma AK, Sharma S. Pattern of fatal motorized two-wheeler crash injuries in Northern India: Is safety helmet adequate prevention. Trends Med Res 2007; 2(1): 27-36
- Minhas SM, Sangani MM, Mahmood K, Bhatti A, Mughar A, Kumar R. Dupatta (long scarf) related injuries in female pillion riders in Karachi, Pakistan. J Pak Med Assoc 2016; 66(11): 1458-61
- 3. Khan A. Prevalence of Orthopedic injuries in motorcycle accidents in patients presented to Khalifa Gul Nawaz Teaching Hospital, Bannu. Khyber J Med Sci 2016; 9(2): 155-160
- 4. KaimKhani GM, Humail SM, Anjum MP, Afridi HD. Pattern and severity of bony injuries among motorcyclist admitted in orthopedic ward. J Dow Uni Health Sci 2013; 7(2): 73-75
- Fouda EY, Youssef M, Emile SH, Elfeki H, Thabet W, Abdallah E, et al. Pattern of major injuries after motorcycle accidents in Egypt: The Mansoura Emergency Hospital experience. Trauma 2017; 19(1): 39–45
- 6. Bevan CA, Babl FE, Bolt P, Sharwood LN. The increasing problem of motorcycle injuries in children and adolescents. Med J Aust 2008; 189(1): 17-20